Index for Volume 72 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abawi, G. S., 39, 912
Abdel-Rahim, M. F., 143
Abies concolor, Diplodia canker of, in Iowa, 79
Ablett, G., 453
Abraham, J. M., 250
Adamou, I., 268
Adams, A. N., 744
Adams, G. C., Jr., 79, 801
Adkins, C. R., 422
Adlerz, W. C., 429
Aegilops spp., leaf rust resistance, in Israel, 941
Ageratina riparia, *Entyloma compositarum* for control, mycoherbicide, 355, (356)
Agrobacterium tumefaciens
—on chrysanthemum, systemic movement in stem tissue, 51
—on grapevine, yield and vigor reduction by, 241
Agropyron spp., leaf rust resistance, in Israel, 941
Air pollution
—ozone, soybean and antioxidant application, 545
—on white pine, in Appalachian Mountains, 130
Albanese, G., 691
Alfalfa
—disease resistance in diploid and tetraploids, 2n gametes, 603
—leaf spot pathogens, seasonal occurrence in North Carolina, 667
—Phytophthora root rot, resistance, yield, 1064
—root-knot nematode, in Utah, 363
—VA mycorrhizae and metalaxyl effect, 448
—Verticillium wilt: in California, 453; growth and flowering effect, 397
AliNiazee, M. T., 127
Allen, J. E., 710
Allen, T. C., 912
Allen, W. R., 801, 861
Almond
—*Phytophthora* and wound canker, 490
—*Phytophthora* pruning wounds, chemical protection, 492
Alternaria spp.
—*A. alternata*, host-specific toxin of, tolerance in cells and protoplasts of tobacco, 892
—*A. dauci*: on carrot, establishment, 522; on carrot seed, detection, 531
—*A. helianthi*, on sunflower, first report in Canada, 801
—*A. solani*: on potato, model for chemical control, 851; on tomato, breeding line resistance, 206
Amaranthus spp., Pythium damping-off of, resistance evaluation, 985
—*A. hybridus*, anthracnose of, 390
Ambrosia trifida, *Protomyces gravidus* on, mycoherbicide application, 580, (581)
American Phytopathological Society, 1988 annual meeting program, 804
Ames, G. K., 362
Anand, S. C., 54
Anderegg, J. C., 1011
Anderson, R. L., 130
Anderson, T. R., 453
Aneilema virus, on Commelinaceae, 513
Ansa, O. A., 250
Antignus, Y., 949
Aphanomyces spp.
—*A. cochlioides*, on sugar beets, first report in Texas, 79
—*A. euteiches*, on bean, occurrence in New York, 912
Aphids, virus vectors in strawberry, insecticide effect, 127
Aphis craccivora
—on peanut, vector for rosette diseases, 250
—peanut potyvirus transmission, 722
Apple
—dagger and lesion nematode control, chemical, 519
—*Erwinia amylovora* on fruit surface, bactericidal treatment, 715
—fire blight of, blossom blight phase prediction, 464, (465)
—ice nucleation-active strains of bacteria, occurrence in Georgia, 837
—pesticide application, tree-row-volume model, evaluation, 629
—Phytophthora root and crown rot, in Arizona, 481
—powdery mildew of, triadimefon for control, timing, 310
Apple, J. D., 484
Apricot, pruning wound canker, *Phytophthora* relation, 490
Aragaki, M., 355, 863, 926, 994
Arceuthobium americanum, on black spruce, rate host in Manitoba, 994
Arctium minus, potexvirus infecting, characterization, 314, (316)
Armillaria spp., on cherry rootstocks, resistance testing, 488
Arthropods, on pome and stone fruits, carriers for wood rot fungi, 1077
Ash, tomato ringspot virus on, in New York, 175
Asparagus
—Fusarium crown and root rot, resistance sources, 334
—Phytophthora root rot of, distribution, 495
—stem and crown rot, *Fusarium moniliforme* from corn, 774
Asparagus virus II, pollen transmission, 195, (197)
Aspergillus flavus
—on corn, accumulation in ears, 422
—on corn kernels, fungal association in North Carolina, 113
Autrey, L. J. C., 230
Avocado
—anthracnose and stem end decay, postharvest, antioxidants for, 381
—Phytophthora root rot, detection and quantitation in Florida, 981
Azalea, *Rhizoctonia* diseases of, fungicides for, 303

Baameur, A., 453
Bacillus subtilis, peach brown rot control, postharvest, pilot tests, 622
Bacteria (see also Rhizobacteria), ice nucleation-active, on apples and peaches, 837
Bactericide
—citrus canker, 1016
—*Erwinia* on apple fruit surface, eradication, 715
Baker, C. A., 513
Baker, F. A., 994
Baker, I. A., 54
Baker, R., 926
Banana
—Fusarium wilt of, in Florida, 994
—Panama disease, races, 325
Banana streak virus, bacilliform virus relation, in sugarcane, 230, (231)
Bandy, B. P., 596
Bandyopadhyay, R., 500, 504
Banksia grandis, *Phytophthora* in phloem of, invasion factors, 121, (126)
Barbara, D. J., 744
Barker, K. R., 107
Barksdale, T. H., 437
Barley
—blast resistance, inheritance, 608, (609)
—stripe, environmental effect, in California, 406
—stripe disease of, resistance inheritance, 233
—take-all of, susceptibility, 883
Barley stripe mosaic virus, in Mexico, first report in commercial barley, 546
Barley yellow dwarf virus
—on oats, yield loss from, in Pennsylvania, 254
—on winter wheat, in Washington, status, 110
Barnard, E. L., 973
Barrat, J. G., 59
Barrie, S. D., 363
Bartz, J. A., 9
Batson, W. E., 222
Baulcombe, D. C., 307
Baumgardner, R. A., 622
Baxter, L. W., Jr., 79
Bean common mosaic virus, on USDA germ plasm collection, 301
Bean golden mosaic virus, germ plasm responses, comparison, 1020, (1022, 1023)
Bean, G. A., 203
Beardsley, J. W., 558
Beczner, L., 101
Belanger, R. P., 710
Bemisia tabaci
—chino del tomate virus vector, host range and relations, 866
—tomato yellow leaf curl virus vector, lysates from, detection, 949
Benner, C. P., 1042
Benson, D. M., 303
Ber, R., 949
Beretta, M. J. G., 1058
Berggren, G. T., Jr., 644
Bergstrom, G. C., 977
Berkett, L. P., 310
Bermudagrass, *Leptosphaeria korrae* on, growth and pathogenicity, 945
Bertrand, P. F., 27, 416
Bielenin, A., 79, 473, 477
Biggs, A. R., 1070
Bijaisoradat, M., 956, 1042
Bioherbicide, *Colletotrichum coccodes* for velvetleaf, 534
Biological control
—*Colletotrichum coccodes* for velvetleaf, 534, (535)
—cotton damping-off with bacteria as seed treatments, 140
—cross protection, papaya ringspot virus,

375
—*Entyloma compositarum* mycoherbicide for *Ageratina riparia*, 355
—*Fusarium solani*: for Texas gourd, 36; for Texas gourd control, granule, 757
—*Gibbago trianthemae* for *Trianthema portulacastrum*, mycoherbicide, 354
—*Phomopsis convolvulus*, for field bindweed 338, (339, 340)
—*Protomyces gravidus* on giant ragweed, 580
—*Trichoderma hamatum* for *Botrytis cinerea* on bean, 727
Bipolaris spp., on corn leaves, incidence in North Carolina, 1034
Bitterlin, M. W., 59
Blanchette, R. A., 614
Blueberry
—stem blight, spore release and infection periods in North Carolina, 342
—stem canker of, new race in North Carolina, 268
—twig blight, first report in Arkansas, 362
Bluegrass, yellow ring, control, 137
Bockus, W. W., 599
Boerma, H. R., 768
Bohl, W. H., 1064
Bond, J. J., 801
Bonde, M. R., 209
Borago officinalis, cucumber mosaic virus of, detection and characterization, 265, (266)
Bosc, J.-P., 1001
Bosland, P. W., 777
Bostock, R. M., 490, 492
Botryosphaeria spp.
—*B. corticis*, on blueberry, new race in North Carolina, 268
—*B. dothidea*, on blueberry, spore release and infection period, 342
—*B. stevensii*, on juniper, canker, etiology, 699, (699, 700)
Botrytis spp.
—*B. cinerea*, on roses, postharvest control with picro-cupric-ammonium formate, 347
—*B. elliptica*, on lily, leaf streak association, 859, (860)
—*B. fabae*, on faba bean, resistance sources, 696, (696)
—*B. squamosa*, on onion, fungicides in predictive systems, 632
Boulif, M., 233
Bowen, K. L., 847, 952
Boykin, D. L., 539
Bradbury, R., 967
Brasier, C. M., 373
Breyel, E., 250
Brlansky, R. H., 781, 1039, 1058
Broadbent, A. B., 801
Brome mosaic virus, Russian wheat aphid vector, in North America, 79
Browder, L. E., 1074
Brown, D. J. F., 281
Brown, G. E., 906
Brown, H. D., 130
Brown, J. K., 362, 453, 866
Bruck, R. I., 297, 872
Bruton, B. D., 734
Burdock yellow mosaic virus, occurrence and characterization, 314, (316)
Burnes, P. M., 990
Burnes, T. A., 614
Burnett, P. A., 546
Bursaphelenchus xylophilus, on pine, transmission by *Monochamus carolinensis*, 734

Cabauatan, P. Q., 526, 843
Cabbage, black rot, Washington seed field, 453
Cacciola, S. O., 793
Calcium hydroxide, coffee leaf spot suppression by application, 688
Calcium sulfate, peanut pod rot control, 589
Campbell, C. L., 667
Canola, rhizobacteria on, plant growth-promoting, 42
Cantaloupe (see Muskmelon)
Cappellini, R. A., 81, 178, 270, 366
Capsicum annuum, tobacco mosaic virus and potato virus Y on, double infection, 14
Carlson, E., 385
Carnation, *Rhizoctonia solani* on, anastomosis groupings, pathogenicity, 863, (864)
Carroll, J. C., 549
Carrot
—*Alternaria dauci* on seed, detection, 531
—Alternaria leaf blight, establishment, 522
—nematode, *Pythium*, and *Fusarium* on, metam-sodium application by drip irrigation, 213
Carson, M. L., 146
Cartwright, R. D., 580
Cason, K. M. T., 1077
Casper, R., 250, 744
Castello, J. D., 175
Cavin, C. A., 863
Celery
—disease resistance by regeneration from cell cultures, 256
—watery soft rot of, suppression in controlled atmosphere storage, 790
Centrosema pascuorum, root-knot nematode of, in Brazil, 546
Cephalosporium gramineum, on winter wheat
—benzimidazole for, soil application, 1054
—soil matric potential and pH effect, 1011
Ceponis, M. J., 81, 178, 270, 366
Ceratocystis ulmi, on elm, in New York, 189
Cercospora oryzae, races of, in southern USA, 262
Cereals, leaf diseases, computer program for estimation, 455, (457)
Chakrabarty, S. K., 912
Chambers, K. R., 529
Chang, C. J., 730
Chase, A. R., 74
Chastagner, G. A, 859, 926
Chen, W., 751
Chen, Y., 143
Cherry
—Armillaria root rot, resistance testing, 488
—sour: *Phytophthora* prevalence and pathogenicity in Michigan, 473, (476); Phytophthora root and crown rot, fungicides for, 477
—sweet, cherry rugose mosaic disease, natural spread, 636
Chevone, B. I., 130
Chickpea filiform virus, new virus disease, 70, (71, 72)
China, agriculture and plant pathology, 648
Chino del tomate virus, host range and vector relations, 866
Chiu, R.-J., 375
Christ, B. J., 912
Chrysanthemum, *Agrobacterium tumefaciens* in stem tissue, systemic movement, 51
Citrus
—blight, role of *Xylella fastidiosa*, 432
—blight and declinio, xylem occlusions, histochemical staining, 1058, (1060)
—canker of: bactericidal chemicals for, 1016; dynamics and spatial distribution of pathogen, 781
—canker pustules and leaf miner association, in North Yemen, 546
Citrus tatter leaf virus, detection in China, 543, (543, 544)
Citrus tristeza virus, inclusion bodies, detection using immunofluorescence, 1039, (1040)
Civerolo, E. L., 781
Clark, M. F., 744
Clavibacter xyli, on sugarcane, resistance, 443
Clay, C., 358
Clerjeau, M., 938
Cline, M. N., 926
Cline, W. O., 268
Clover (see *Trifolium*)
Cochliobolus sativus, on winter wheat in Texas, fungi associated with, 959
Cody, Y., 70
Coffee, American leaf spot of, symptom suppression with calcium hydroxide, 688, (689, 690)
Cohen, J., 583
Cohen, S., 33, 949
Cohen, Y., 33
Coix lachryma-jobi, head smut of, first USA report, 363
Cole, H., Jr., 310, 661
Colletotrichum spp.
—*C. coccodes*, on velvetleaf, bioherbicide, 534, (535)
—*C. dematium*, on soybean and seeds, 390
—*C. gloeosporioides*: on avocado, after harvest, antioxidants for, 381; on flowering dogwood, in northeast USA, 199, (199-201); host range, 77 species tested, 16, (18)
—*C. graminicola*, on corn: developmental predisposition, 977; stalk resistance in tropical hybrids, 321
—*C. lindemuthianum*, on bean: control and races in Canada, 5, (6); resistance evaluation using dry inoculum, 771
—*C. truncatum*: on lentil, new disease in Manitoba, 994; on soybean, resistant germ plasm, 56
Colyer, P. D., 400
Commelina mosaic virus, on *Commelina*, 513
Computer, applications, cereal leaf disease estimation, training program, 455
Conservation tillage
—corn, bean root rot, 1049
—in vegetables, fluid drilling and seedling diseases, 317
Container media, municipal sludge compost, damping-off in amended media, 751
Converse, R. H., 127, 175, 744
Convolvulus arvensis, Phomopsis foliar disease, 338
Conway, K. E., 14
Cook, A. A., 546
Corn
—aflatoxin in ears, accumulation, 422
—anthracnose stalk rot of, developmental predisposition, 977
—*Bipolaris* and *Exserohilum* spp. on leaves, in North Carolina, 1034
—Diplodia stalk and ear rot, inoculation time effect, in South Africa, 529
—*Fusarium* spp. in symptom-free and overwintered stalks, in Minnesota, 990
—fungi infecting kernels, in North Carolina, 113
—inbred resistance to nematodes, 67
—northern leaf blight of: propiconazole effect, 847; yield components, detasseling effect, 952
—sheath blight, first report in Arkansas, 644
—southern rust of, resistance components, 157

—stalk rot: *Fusarium moniliforme* from asparagus, 774; resistance to, screening for, moisture effect, 1061
—stalk rot resistance and stalk quality, tropical hybrids, 321
Cornus florida, anthracnose in northeast USA, 199, (199-201)
Correll, J. C., 325
Corsini, D. L., 148
Corynebacterium sepedonicum, on potato
—disinfectant susceptibility, 585
—monoclonal antibody use with ELISA, 874
Cotton
—Pythium damping-off, biocontrol seed treatments, 140
—seedling diseases, in Louisiana, 400, (401)
Covey, R. P., 911
Cowpea chlorotic mottle virus, on soybean, resistance breaking variants of, 768
Cowpea mottle virus, in Ivory Coast, 363
Cox, D. J., 1028
Crahay, J. N., 945
Crawford, M. A., 268
Creswell, T. C., 342
Croft, B. J., 1077
Cronartium spp.
—*C. quercuum*: on loblolly pine seedlings, histology and progression, 719, (720); on slash and loblolly pines, site factor relation, 710
—*C. ribicola*, on white pine, incidence in Maine after 70 years of *Ribes* eradication, 967
Crop loss, nematodes, ecology in North Carolina, 107
Crosslin, J. M., 362
Crucifer, Fusarium yellows and wilt of, soil temperature effect, 777
Cucumber
—crown rot of, *Pythium* association, greenhouses, 683
—damping-off, compost effect, 751
—*Penicillium crustosum* stem rot of, 363
—root rot of, *Pythium* cause, 358, (359)
Cucumber mosaic virus
—on borage, detection and characterization, 265, (266)
—on *Commelina*, in Florida, 513
—on *Hesperis matronalis*, in British Columbia, 101, (103-105)
—on sweet potato, sweet potato feathery mottle virus association, 583, (583, 584)
Cucurbita texana
—biocontrol with *Fusarium solani* in sodium alginate granules, 757
—*Fusarium solani* for control of, 36
Culver, J. N., 676
Curvularia lunata, on soybean, in Brazil, seedborne, 268
Cytospora cincta, in stone-fruit orchards, arthropod carriers, 734
Czosnek, H., 949

Dabney, S. M., 593
Dahal, G., 843
Dale, J. L., 363, 644
Damicone, J. P., 774
Damsteegt, V. D., 79
Daquioag, R. D., 843
Database, plant pathogen, world, 284
Datnoff, L. E. 209
Daughtrey, M. L., 199, 926
Davino, M., 691
Davis, J. R., 148
Davis, M. J., 443
Davis, R. M., 453
De Boer, S. H., 874
De Waele, D., 453
Dean, J. L., 443
DeBuhr, L., 585
Demski, J. W., 19, 250, 546, 644, 722
Derie, M. L., 453
Dernoeden, P H., 945
Diagnosis (see Disease diagnosis)
Diaporthe spp.
—*D. phaseolorum*, on soybean: geographic isolates, temperature effects, 220; resistance measurement, 217, (218)
—*D. vaccinii*, on blueberry, first report in Arkansas, 362
Diaz de Ackermann, M., 1028
Diener, T. O., 691
Dilbeck, R. D., 734, 1077
Dillard, H. R., 912
Diplodia spp.
—*D. maydis*, on corn, ear and stalk rot, inoculation time, 529
—*D. natalensis*, on avocado, postharvest, antioxidants for, 381
Disease diagnosis
—bacteria, fatty acids for identification, 460
—fee collection for, 549
—technological advances, 802
Disease forecasting, potato early blight in Colorado, model for chemical control, 851
Disease management, hydroponics, *Pythium*, 96
Disease survey, methods in Kansas, 832
Diseases, common names for
—almond, 567
—elm, 567
—foliage plants, 568
—pea, 571
—peanut, 572
—pecan, 573
—sugarcane, 573
—walnut, 568
Ditylenchus destructor, on peanut, first report, 453
Diuraphis noxia, brome mosaic virus vector in North America, 79
DNA
—hybridization test for detecting peanut viruses, 956
—virus probe, hybridization with plant and insect lysates, for virus detection, 949
Dobson, R. L., 702
Doss, R. P., 859
Doster, M. A., 490, 492
Dot immunoassay, monoclonal antibody use for detecting *Sirococcus strobilinus* on seed, 664
Dowler, W. M., 284
Drechslera graminea, on barley, environmental effect in California, 406
Dubos, B., 796
Dulmage, H. T., 622
Dunn, R. A., 869

Ebsary, B. A., 453, 861
Editorial
—Bartz, J. A., manuscript review, 831
—Cameron, H. R., and A. R. Weinhold, APS financial health, 999
—Cooley, D. R., expert systems, a tool, 279
—Hill, J. H., ATCC collection, 463
—Jardine, D. J., archives committee, 3
—Kendrick, J. B., Jr., integrated pest management, 647
—McGuire, J. M., awards and recognition, graduate students, 556
—Miller, S. A., biotechnology in disease diagnostics, 188
—Roberts, D. A., instructor evaluation by students, 372
—Stipes, R. J., mentoring process in education, 924
—Thurston, H. D., education for plant pathologists in developing countries, 741
—Willis, W. G., regulations and disease control, 95
Edwards, M. C., 362, 705
Egel, D. S., 611
Eggplant, bacterial wilt, resistance evaluation, 437
El-Eraki, S. A., 143
El-Gholl, N. E., 973
Elm
—Dutch elm and elm yellows in New York, 189
—leaf spot of, causal agent, 801
—yellows, first report in North Dakota, 912
Elmer, W. H., 334
Elsinoë fawcettii, on sweet orange, factors in Florida, 626
Endocronartium harknessii
—on jack pine, resistance screening, 614, (615)
—on lodgepole pine, temporal and spatial variation, 787
Engel, R. E., 393
Enterobacter cloacae, cotton seed treatment for *Pythium* control, 140
Entyloma compositarum, biocontrol agent for *Ageratina*, 355, (356)
Epstein, A. H., 154
Errata
—vol. 71, no. 2, 1987, 545
—vol. 71, no. 11, 1987, 281
—vol. 72, no. 3, 1988, 452
Erwin, D. C., 453
Erwinia spp.
—*E. amylovora*: on apple and pear, blossom blight phase prediction, 464, (465); on apple fruit, bactericidal treatment, 715; on pear, secondary bloom significance, in Washington, 911
—*E. carotovora*: on potato, blackleg and seed-piece decay, factors, 418; on *Primula*, wilt and crown rot, 672; on sunflower, in South Africa, 994; on tomato, chlorine effect, postharvest, 9
—*E. herbicola*, cotton seed treatment for *Pythium* control, 140
Erysiphe graminis, on wheat
—chloride fertilizer effect, 605
—epidemic and planting date relation, 661
—fungicidal seed and foliar treatment, 887
Etiology, leaf spot pathogens on alfalfa, in North Carolina, 667
Eucalyptus spp., *Phytophthora* in phloem of, invasion factors, 121
Euphorbia maculata, anthracnose of, 390
Evans, T. A., 195
Eversmeyer, M. G., 409, 832, 1074
Exobasidium camelliae new hosts for, 79
Exserohilum turcicum, on corn
—incidence in North Carolina, 1034
—propiconazole effect on, 847
—yield components and detasseling effect, 952

Fagan, S. G., 79
Falloon, P. G., 495
Farrar, J. J., 453
Favrin, R. J., 683
Feldman, M., 941
Fernandez-Northcote, E. N., 307
Fertilizers
—chloride, wheat powdery mildew effect, 605
—nitrogen, take-all of wheat effect, 393
—phosphorus, Phytophthora root rot and mycorrhizal relation, 611
Fescue, white patch, occurrence, 268
Filonow, A. B., 589
Fir
—balsam, root and butt rot fungi, in New Hampshire, 329
—Phytophthora crown rot of, first report in

Michigan, 79
—white, needle disease of, epidemiology in California, 855, (855-857)
Fischer, S., 912
Fischer, W. R., 911
Focus, 4, 100, 269, 282, 374, 548, 557, 785, 742, 914, 925, 1000
Fomba, S. N., 641
Foott, J. H., 241
Ford, R. E., 101
Forster, R. L., 935
Franc, G. D., 851
Francl, L. J., 760
Frank, J. A., 254, 661
Frauley, K., 42
Frederiksen, R. A., 332
Freeman, T. P., 912
French, D. W., 614, 994
Frey, K. J., 154
Frisina, T. A., 303
Fulbright, D. W., 246
Fungicides (general) (see also Fungicides, specific)
—apple, tree-row-volume model, evaluation, 629
—application testing, handgun and tree-row-volume, 509
—Botrytis leaf blight of onion control, predictive system comparison, 632
—geranium damping-off from *Pythium*, control, 764
—for Phytophthora gummosis on citrus, systemic activity, 170
—Rhizoctonia crown rot control in poinsettia, safety and efficacy, 693
—*Rhizoctonia* diseases of azalea, greenhouse application, 303
—vegetable seedling disease control, 317
Fungicides (specific) (see also Fungicides, general)
—benzimidazole, for Cephalosporium stripe of wheat, soil application, 1054
—cupric hydroxide and fosetyl-Al, for almond pruning wound infection, 492
—fosetyl-Al and metalaxyl, for Phytophthora root and crown rot of cherry, 477
—guazatine and iminoctadine, for orange postharvest decay, 906
—metalaxyl: on alfalfa seedlings, growth effect, mycorrhizal relation, 448; *Peronospora tabacina* resistant to, in Texas and Mexico, 964
—metam-sodium: drip irrigation application for nematodes and root disease in carrot and tomato, 213; for vegetable root diseases, sprinkler irrigation application, 160
—picro-cupric-ammonium formate, for *Botrytis* on roses, postharvest, 347
—propiconazole, northern leaf blight of corn affected by, 847
—silver thiosulfate, for *Pythium* on geranium seedlings, 764
—thiabendazole, for pitch canker on loblolly pine, 297
—thiabendazole-DMSO, pine seed treatment and *Fusarium subglutinans*, 872
—triadimefon, for apple powdery mildew control, application timing, 310
—triadimenol and triadimefon, for wheat powdery mildew epidemics, 887
Fusarium spp: on carrot and tomato roots, fungicide and irrigation application, 213; on corn, symptom-free and overwintered cornstalks, in Minnesota, 990; on cotton, seedlings in Louisiana, 400, (401)
—*F. moniliforme*: on asparagus, resistance evaluation, 334; from asparagus and corn, cross-pathogenicity, 774, (776); on corn kernels, fungal association in North Carolina, 113
—*F. oxysporum*: on banana, in south Florida, 994; on banana, vegetative compatibility of races, 325; on crucifers, soil temperature effect, 777; on morningglory, in Alabama, 268; on tomato, third race in California, 453; on watermelon, race 2 in Oklahoma, 734
—*F. solani*: on cucurbits, conidial production, nutritional amendment effect, disease control, 757; on soybean seedlings, pathogenicity, 1067; spores of, ground corncob carrier, 222, (223); on Texas gourd, control and soil persistence, 36
—*F. subglutinans*: on loblolly pine, thiabendazole effect, 297; on pine seed, thiabendazole-DMSO treatment, 872

Gabriel, D. W., 781
Gabrielson, R. L., 453
Gaeumannomyces graminis
—on small grains, susceptibility, 883
—on wheat, nitrogen and chloride effect, under irrigation, 393
Garcia-Arenal, F., 265
Gardner, R. G., 206
Garnsey, S. M., 781, 1039
Gazania splendens, powdery mildew of, first report, 546
Ge, C. F., 546
Geranium, Pythium damping-off of, silver thiosulfate for control, 764
Gergerich, R. C., 362
German, T. L., 558
Ghate, S. R., 317
Gibbago trianthemae, bioherbicide for horse purslane, potential, 354, (354)
Gibbs, J. N., 373
Gilbertson, R. L., 385
Gildow, F. E., 254
Gilly, S. P., 973
Gitaitis, R. D., 416, 575
Gleason, M. L., 79
Glomus intraradices, on sweet orange, Phytophthora root rot relation, 611
Golden, A. M., 363
Gonsalves, D., 59, 375
Gooding, Jr., G. V., 879
Goodman, C. A., 643
Goodman, M. M., 321
Gorsuch, C. S., 225
Goth, R. W., 203, 437
Gotlieb, A. R., 534
Gottwald, T. R., 27, 781
Graham, J. H., 611, 781
Grape, crown gall disease, yield and vigor reduction, 241
Grapevine
—angular leaf scorch, new disease, 796, (797, 798)
—tomato ringspot virus and *Xiphinema* association, in Canada, 861
—yellows of, mycoplasmalike organism, 363
Gray, F. A., 1064
Gray, L. E., 896, 900
Green, J. L., 912
Green, S. K., 994
Griffin, G. D., 363, 617
Grinstein, A., 143
Grof, B., 546
Grogan, R. G., 495, 1046
Groundnut rosette virus, on peanut, aphid transmission, 250
Grybauskas, A. P., 605
Gudmestad, N. C., 418, 585
Gunnell, P. S., 909

Hagedorn, D. J., 385, 771
Hagler, W. M., Jr., 422
Hamilton, R. I., 101
Hamm, J. D., 416
Hammer, P. E., 347
Hammond, J. J., 1028
Hammond, R. H., 691
Hannan, R. M., 70
Hanounik, S. B., 696
Hardy, G. E., 435
Harrington, T. C., 329
Harrison, M. D., 851
Harrison, N. A., 443
Hartman, G. L., 56
Hassan, Z. M., 409
Hatley, O. E., 661
Hattingh, M. J., 643
Hausbeck, M. K., 764
Havey, M. J., 603
Hawes, M. C., 916
Haygood, R. A., 644
Hazel, W. J., 203
Heins, R. D., 764
Heiny, D. K., 175
Helton, A. W., 734, 1077
Hepp, R. F., 744
Hesperis matronalis, turnip, cucumber, and ribgrass mosaic viruses on, 101, (103-105)
Heterodera spp.
—*H. glycines*: soil infestation, crop rotation effect, 760; on soybean, first report in Ohio, 363; on soybean, first report in Ontario, 453; on soybean, shoot pruning effect on, 54
—*H. schachtii*, on sugar beet, nematicides for, soil temperature and type effect, 617
Hewings, A. D., 79
Hibben, C. R., 175, 199
Hibino, H., 526, 843
Hickey, K. D., 310
Highland, H. B., 644
Hill, R. R., Jr., 397
Hirrel, M. C., 644
Hodges, H. H., 1067
Hoffmann, J. A., 46
Hoitink, H. A. J., 751
Holley, R. C., 710
Holley, R. N., 321
Honeylocust, Tubercularia canker of, in North Dakota, 734
Hoormann, R. G., 268
Hop stunt viroid, citrus B viroid strain of, 691
Hopkins, D. L., 429, 432
Horne, N. M., 994
Hosford, R. M., Jr., 1028
Host-parasite relation, cellular aspects taught using root cap cells, 916, (916, 917)
Hotchkiss, M. W., 622
Howell, T. A., 455
Howell, W. E., 636
Hudler, G. W., 549
Huisman, O. C., 241
Hume, D. J., 42
Hwang, S. F., 448
Hydroponics, disease management, *Pythium*, 96, (97, 98)

Industry News, 86, 176, 803, 918
Information systems, plant pathogen database, world, 284
Ingham, R. E., 167
Inglis, D. A., 771
Insecticides
—for aphid-borne viruses in strawberry, 127
—for aphid suppression on tobacco potyviruses, 350
Instructions to authors, 88
Integrated pest management, editorial, 647
Irrigation, fungicide application, for vegetable root diseases, 213
Ishida, Y., 892

Jackson, L. F., 406
Jacobi, J. C., 294
Jacquemontia tamnifolia, Fusarium leaf and stem blight, in Alabama, 268
Janisiewicz, W. J., 715
Jardine, D. J., 246
Jarvis, W. R., 363
Jaworski,, C. A., 575
Jayasena, K. W., 912
Jensen, H. J., 167
Johnson, D. A., 359, 362
Johnson, J. B., 734, 1077
Johnson, K. B., 484
Jones, A. L., 473, 477, 488
Jones, B. L., 453, 994
Jones, J. B., 51
Jones, R. K., 644
Jordan, E. G., 64
Jourdain, E. L., 33
Juarez, J., 964
Juniper, canker disease of, etiology, 699, (699, 700)

Kaiser, W. J., 70, 301
Kangatharalingam, N., 146
Katan, J., 143
Keeling, B. L., 217, 220
Keeny, T. M., 1024
Keller, N. P., 977
Kenerley, C. M., 985
Khan, R. A., 453
Killebrew, J. F., 1067
Kim, S. H., 802, 912
Kimble, K. A., 453
Kimura, S., 268
King, S. B., 425
Kiwi, crown and root rot, 1077
Klass, C., 549
Klein, R. E., 301
Kline, A. S., 362
Kloepper, J. W., 42
Kluyveromyces marxianus, on onion, soft rot from, 359, (360)
Knowles, K., 994
Koenning, S. R., 54
Koike, S. T., 546, 1077
Kommedahl, T., 990
Kosta, K. L., 546
Kovach, J., 225
Kraft, J. M., 175
Kramer, C. L., 409, 1074
Kronland, W. C., 707
Kuc̆, J., 964
Kuhlman, E. G., 719
Kuhn, C. W., 250, 546, 768, 956, 1042
Kulik, M. M., 115
Kumashiro, T., 892
Kummer, A., 874
Kutchaw, T., 42
Kuter, G. A., 751

Lacy, M. L., 256
Lahman, L. K., 851
Laliberté, M., 42
Lanier, G. N., 189
La Rosa, R., 691
Lawrence, G. W., 1067
Lawson, R. H., 74, 926
Leach, S. S., 596
Leath, K. T., 397
Leath, S., 1034
Lee, D. R., 994
Lee, F. N., 644
Lee, L., 42
Lee, R. F., 1039, 1058
Legumes, forage
—host for *Sclerotinia* spp. in southeastern USA, 593
—six virus diseases of seven species, 539
Lens culinaris, anthracnose of, new disease in Manitoba, 994
Leonard, K. J., 1034
Leptosphaeria korrae, on bermudagrass, growth and pathogenicity, 945
Leptosphaerulina briosiana, on soybean, first report in Missouri, 268
Letters
—etiology, 280
—exotic plant pathogens, 373
—tree resources, protection strategy, 551
—*Xiphinema californicum*, 281
Lettuce infectious yellows virus, hydroponically grown, in Pennsylvania, 453
Levine, R., 801
Levy, A. A., 941
Li, H. P., 437
Liang, K. Z., 546
Liang, X. Y., 543
Lifshitz, R., 42
Lightner, G. W., 81, 178, 270, 366
Lily, Botrytis blight of, leaf streaking association, 859, (860)
Lipps, P. E., 887
Lirula abietis-concoloris, on white fir, epidemiology in California, 855, (855-857)
Lockhart, B. E. L., 230
Loebenstein,, G., 583
Long, D. L., 22, 25
Lophodermium seditiosum, on Scotch pine, epidemic in Michigan, 801
Lorbeer, J. W., 632
Lucas, B. S., 268
Luis-Arteaga, M., 265
Lukezic, F. L., 801
Luley, C. J., 79
Luttrell, E. S., 1077

MacDonald, J. D., 926
Macrophomina phaseolina
—on bean, resistant accessions, 39
—population density in soil, crop rotation effect, 760
Madden, L. V., 350, 887
Maestro, C., 265
Magarey, P. A., 363
Magnano di San Lio, G., 793
Magyarosy, A. C., 213
Maize (see Corn)
Malek, R. B., 734
Maloy, O. C., 1031
Manandhar, J. B., 56, 64
Manion, P. D., 189
Manisterski, J., 941
Manning, W. J., 774
Marois, J. J., 347
Marshall, D., 239
Martin, M., 589
Martin, R. R., 744
Martyn, R. D., 734
Matejka, J. C., 170, 481
Matheron, M. E., 170, 481
Mathre, D. E., 393
Matteoni, J. A., 801
Matthews, W. C., 213
Mauza, B., 683
Maxwell, D. P., 603
May, D. M., 213
Mays, D. A., 593
McCain, A. H., 241
McCarter, S. M., 575, 672, 837
McCartney, T. C., 130
McCreight, J. D., 33
McDaniel, M. C., 363
McGuire, R. G., 1016
McInnes, T. B., 575
McLaughlin, M. R., 539
McLean, K. S., 390, 1067
McLeod, P. J., 362
McMullen, M. P., 362, 705
McRoberts, R. E., 497
McWilliams, E. L., 985
Melampsora medusae, conifer aecial hosts, search in eastern USA, 904
Melanotus phillipsii, on tall fescue, occurrence, 268
Melis, M., 1061
Meloidogyne spp.: on carrot and tomato roots, fumigation and irrigation, 213; on winter small grain crops, reproduction, 869
—*M. arenaria*, corn inbreds resistant to, 67
—*M. chitwoodi*, on alfalfa, in Utah, 363
—*M. incognita*: on clover, forage yield effect, 152; corn resistant to, 67; on *Phaseolus* spp., screening germ plasm for resistance, technique, 970
—*M. javanica*, on *Centrosema*, in Brazil, 546
Melon (see Muskmelon)
Melouk, H. A., 589
Meyer, F. W., 519
Meyer, T., 994
Michaelsen, B. J., 121
Mickail, K. Y., 143
Milholland, R. D., 268, 342
Miller, T., 710
Mink, G. I., 110, 636
Misari, S. M., 250, 546
Mitchell, J. K., 354
Mitchell, L. A., 664
Mmbaga, M. T., 259
Models
—BOTCAST, for Botrytis leaf blight of onion, 632
—potato early blight control, day-degree model, 851
Mojtahedi, H., 175
Monilinia fructicola, on peach: early and late-season susceptibility, 1070; postharvest control with *Bacillus*, 622
Monoclonal antibodies
—for bacterial ring rot of potato, ELISA, 874
—dot immunoassay application, for fungal detection in seed, 664
—ELISA application, peanut stripe virus, 676
Moody, E. H., 672
Moorman, G. W., 801
Moots, C. K., 896, 900
Morales, F. J., 1020
Morgan-Jones, G., 268
Morrall, R. A. A., 994
Morris, C. E., 648
Morris, T. J., 744
Morrison, R. H., 777
Muchovej, J. J., 268, 280
Mucor piriformis, in pear orchard soil, sporangiospore distribution, 702
Mughogho, L. K., 500, 504
Mulrooney, R. P., 364, 915
Murray, T. D., 1011, 1054
Muskmelon, downy mildew, resistance inheritance, 33
Mycena citricolor, on coffee, symptom suppression with calcium hydroxide, 688, (689, 690)
Mycoherbicide
—*Fusarium solani*: for Texas gourd, 757; for Texas gourd control, 36
—*Protomyces gravidus* on giant ragweed, 580
Mycorrhizae, vesicular-arbuscular, on alfalfa, metalaxyl relation, 448, (451)
Mycotoxins, aflatoxin, in corn ears, accumulation rate, 422
Myzus persicae
—peanut potyvirus transmission, 722
—on tobacco potyvirus vector, insecticides for, 350

Namba, R., 375
Nash, A. F., 206
Navarro, M., 546
Navot, N., 949
Nectria galligena, pathogenicity and spore morphology of four isolates, in Florida, 973, (973-975)
Nelson, E. B., 140
Nelson, M. E., 727
Nelson, M. R., 866
Nematicides
—carbofuran, carbosulfan, and fenamiphos, for dagger and lesion nematodes in orchards, 519
—root-lesion nematode on peppermint, management, 167
—for sugar beet cyst nematode, soil temperature and type effect, 617
Nematodes, distribution, ecology, and crop loss from, in North Carolina, 107
Nesmith, W. C., 964, 1024
Newcomb, G. B., 167
Nickell, C. D., 896, 900
Nicot, P. C., 648
Nicotiana spp., blue mold of, virulence of endemic isolate, 1024
Niessen, A. I., 1020
Noirot, M., 1001
Nolte, P., 418
Northover, J., 1070
Nus, A., 699

O'Neill, N. R., 945
Oak, northern red, bacterial leaf scorch, xylem-limited bacterium association, 730, (731)
Oak, S. W., 289, 294
Oats
—barley yellow dwarf virus of, yield loss in Pennsylvania, 254
—stem rust of, field resistance measurement, 154
Ocamb-Basu, C. M., 801
Oidiopsis taurica, on gazania, first report, 546
Olechowski, H. T., 453
Olive, J. W., 837
Olorunju, P. E., 546
Olson, T. N., 912
Omwega, C. O., 970
Onion
—Botrytis leaf blight of, fungicides in predictive systems, 632
—soft rot of, yeast cause, 359, (360)
Opperman, C. H., 869
Opuntia ficus-indica, foot rot of, etiology, 793, (793, 794)
Orange
—Phytophthora root rot, mycorrhizae and phosphorus effect, 611
—postharvest decay, control with guazatine and iminoctadine, 906
—scab of, factors in Florida, 626
Ormeno-Nuñez, J., 338
Ornamental pathology, research directions, current and future, 926
Ostrofsky, W. D., 967
Ostry, M. E., 497, 724

Paguio, O. R., 768
Palm, E. W., 268
Papaya ringspot virus, control by cross protection, 375, (376, 377, 379)
Parrado, J. L., 981
Parthenocissus quinquefolia, *Pseudopezicula tetraspora* on, new disease in North America, 796
Pastor-Corrales, M. A., 39
Pathosystem, multiple, peanut rust in West Africa, 1001
Patterson, C. A, 362
Patterson, C. L., 734, 1046
Pavek, J. J., 148
Payne, G. A., 422
Peach
—brown rot, bacterial control, postharvest, 622; early and late-season susceptibility, 1070
—growth affected by *Ambrosiella sulphurea*, 225
—ice nucleation-active strains of bacteria, occurrence in Georgia, 837
—pruning wound canker, *Phytophthora* relation, 490
—tomato ringspot virus of, distribution in trees, detection implication, 59, (60)
—transit injury, EDTA treatment, 118
Peanut
—pod rot of, calcium sulfate effect, 589
—potato rot nematode on, first report, 453
—rosette viruses of, aphid transmission, 250
—rust, multiple pathosystem, new component in West Africa, 1001, (1002, 1003, 1008)
—tomato spotted wilt virus of, first report in Sri Lanka, 912
—virus detection in seeds of, DNA hybridization test, 956
—virus survey in Indonesia, 994
Peanut mottle virus
—aphid vectors, 722
—detection using DNA hybridization test, 956
—incidence in south Texas, 644
—on six legume species, resistance and antigen content, 1042
—tomato spotted wilt virus comparison, 546
Peanut stripe virus
—aphid vectors, 722
—detection in seed by DNA hybridization test, 956
—detection using ELISA, monoclonal antibodies, 676
—first report in India, 912
—on soybean, resistance, 19, (20)
Pear, fire blight
—blossom blight phase prediction, 464, (465)
—secondary bloom significance in Washington, 911
Pearson, R. C., 796
Pecan, scab of, control program and crop yield, 27
Pedersen, W. L., 847, 952
Pederson, G. A., 152
Penicillium crustosum, on cucumber, stem rot, 363
Pennisetum americanum, downy mildew of, recovery resistance, 425
Pennypacker, B. W., 397
Pepper, bacteria in transplants, airborne dispersal, 575
Peppermint, *Pratylenchus penetrans* on, management with nematicides, 167
Peronosclerospora sorghi, on sorghum, resistance inheritance to pathotypes, 332
Peronospora tabacina
—metalaxyl resistance in, in Texas and Mexico, 964
—on tobacco, virulence of endemic isolate, 1024
Perry, R. L., 488
Pesticide
—apples, tree-row-volume model, evaluation, 629
—application, handgun and tree-row-volume comparison, 509
Phaeoisariopsis griseola, on beans, resistance evaluation using dry inoculum, 771
Phaseolus spp., root-knot resistance, screening germ plasm for resistance, technique, 970
—*P. vulgaris*: anthracnose of, control and races in Canada, 5, (6); anthracnose and angular leaf spot of, resistance evaluated with dry inoculum, 771; bean golden mosaic virus of, germ plasm response, 1020, (1022, 1023); charcoal rot of, resistant accessions, 39; common bacterial blight, dry-leaf method of inoculation, 385; grey mold, biocontrol with *Trichoderma hamatum*, 727; *Rhizoctonia solani* AG-4 and AG-2 type 2 on, root rot induced after tillage following corn, 1049; root and hypocotyl rot of, occurrence in New York, 912; rust resistance and pathogen variability, in Tanzania, 259
Phatak, S. C., 160, 317, 575
Phillips, D. J., 118
Phomopsis spp.
—*P. convolvulus*, on field bindweed, foliar disease, 338, (339)
—*P. phaseoli*, on soybean seedlings, penetration mode, 115, (116, 117)
Phyllocnistis citrella, on citrus, association with bacterial canker in North Yemen, 546
Phytophthora spp.: on apple trees, root and crown rot, 481; on asparagus, in California, 495; on citrus, gummosis control with fungicides, systemic, 170; in container-grown plants, in nurseries in Australia, 435; on *Eucalyptus* and *Banksia*, phloem invasion factors, 121, (126); on sour cherry, fungicides for, 477; on sour cherry trees, in Michigan, 473, (476); storage, liquid nitrogen application, 680
—*P. cactorum*, on fir, first report in Michigan, 79
—*P. cinnamomi*, on avocado, detection and quantitation in Florida, 981; on loblolly pine, in South Carolina, 289, (290)
—*P. citricola*, on fir, first report in Michigan, 79
—*P. erythroseptica*, on potato, in Pennsylvania, 912; on wild rice, crown and root rot in California, 909, (910)
—*P. infestans*, on potato, leaf sterol and late blight relation, 203
—*P. megasperma*: on alfalfa, root rot resistance, 1064; on soybean: root rot and stand effect on yield, 900; on soybean, soil compaction effect, 896
—*P. nicotianae*, on prickly pear cactus, etiology, 793, (793, 794)
—*P. palmivora*, on castor bean, in Hawaii, 994
—*P. syringae*, on almond, chemical protection, 492; on almond and stone fruit, wound canker relation, 490
Pine
—decline, littleleaf disease sites, in South Carolina, 289
—gall rust of, resistance screening of seedlings, 614, (615)
—growth decline, drought effect on littleleaf sites, 294
—loblolly: fusiform rust symptoms, histology and progression, 719; pitch canker, thiabendazole effect, 297
—lodgepole, western gall rust of, infection variation, 787
—longleaf, thiabendazole-DMSO seed treatment, *Fusarium subglutinans* effect, 872
—pinewood nematode of, transmission by *Monochamus carolinensis*, 734
—Scotch, needle cast epidemic in Michigan, 801
—slash loblolly plantations, fusiform rust and site factors, 710

—*Sphaeropsis sapinea* on, seedborne, 362
—white: air pollution symptoms, in Appalachian Mountains, 130; blister rust in Maine after 70 years of *Ribes* eradication, 967
Pineapple, mealybug wilt, bugs and ants, 558, (559, 562, 563)
Pinkerton, J. N., 167
Pirone, T. P., 350
Plasmopara spp.
—*P. halstedii*, on sunflower, inoculation method and host-pathogen relations, 227
—*P. viticola*, oospore germination, factors and techniques, 938
Plavsic, B., 363
Ploetz, R. C., 325, 981, 994
Plum
—bacterial spot, mechanical transmission in nurseries, 643
—dagger and lesion nematodes of, chemical control, 519
Plunkett, D. E., 644
Poinsettia, Rhizoctonia crown rot of, fungicides for, 693
Poirier, C., 534
Poplar
—leaf spot resistance, screening for, 497
Populus sp., Septoria leaf spot of, somatic resistance, 724
Postharvest pathology
—apricot and papaya shipments, New York market, 366
—asparagus, eggplant, and bean shipments in New York market, 178
—avocado, anthracnose and stem end decay, antioxidants for, 381
—avocado, mango, and pineapple shipments, in New York market, 270
—*Botrytis cinerea* on cut roses, fungicide for, 347
—celery, *Sclerotinia* suppression by controlled atmosphere, 790
—cucumber, squash, and watermelon shipments, disorders in New York market, 81
—orange decay, guazatine and iminoctadine for control, 906
—peach brown rot, *Bacillus* applications, 622; early and late-season susceptibility, 1070
—peach transit injury, EDTA treatment, 118
—tomato, chlorine treatment, 9
Potato (see also *Solanum* spp.)
—bacterial ring rot of, ELISA test using monoclonal antibody, 874
—blackleg and seed-piece decay, factors in North Dakota, 418
—early blight, model for chemical control initiation, 851
—late blight and leaf sterol relation on clones and lines, 203
—pink rot of, in Pennsylvania, 912
—*Rhizoctonia* diseases, AG-3 in Maine, 596
—*Verticillium dahliae* of, spatial pattern in soil, 484
Potato virus X, strain detection, 307
Potato virus Y
—on chile, tobacco mosaic virus double infection, 14, (15)
—strain detection by nucleic acid spot hybridization, 307
Powell, C. C., Jr., 693
Powelson, M. L., 484, 727
Prasada Rao, K. E. 594
Prasada Rao, R. D. V. J., 912
Pratt, R. G., 593
Pratylenchus spp., on apple and plum, nematicides for, 519
—*P. penetrans*, on peppermint, nematicides for control, 167
—*P. thornei*, on wheat, in Washington, 175
Prentice, Jr., F., 363
Prescott, J. M., 209
Pretorius, Z. A., 175, 439
Primula spp., wilt and crown rot, *Erwinia* cause, 672
Proffer, T. J., 79, 488
Protomyces gravidus, on giant ragweed, mycoherbicide application, 580, (581)
Prunus necrotic ringspot virus, on cherry, natural spread, 636
Prusky, D., 381
Pseudomonas spp.
—*P. solanacearum*: on eggplant, resistance evaluation, 437; South African strains, characteristics, 403
—*P. syringae*: on apple and peach trees, ice nucleation-active strains, in Georgia, 837; on elm, leaf spot cause, 801; on pepper and tomato, transplant problems, 575; on tomato, field inoculum sources, 246; on tomato, inoculum sources, 452
Pseudoperonospora cubensis, on muskmelon, resistance inheritance, 33
Pseudopezicula tetraspora, on grapevine, new disease in North America, 796, (797, 798)
Puccinia spp.
—*P. arachidis*, on peanut, pathosystem in West Africa, 1001
—*P. graminis*: on oats, field resistance, measurement of, 154; on wheat, slow-rusting evaluation, 413
—*P. polysora*, on corn, resistance components, 157
—*P. recondita*: infection structure establishment, environment effect, 409; on wheat, *Aegilops* and *Agropyron* species resistant to, in Israel, 941; on wheat, epidemic in Texas, characteristics, 239; on wheat, races and virulences, 25; on wheat, resistance and temperature relation, 439; on wheat, survival, winter and spring, Kansas, 1074; on wheat, virulence in USA in 1986, 22
Pusey, P. L., 622
Pyrenophora spp.
—*P. graminea*, on barley, resistance inheritance, 233
—*P. tritici-repentis*, on wheat: resistance to isolates, pseudoperithecia observations, 1028, (1030); yield and growth stage relation, 599
Pyricularia oryzae, on barley, resistance inheritance, 608, (609)
Pythium spp.: on cotton, control with biological seed treatments, 140; on cucumber, crown rot in greenhouses, 683; on nursery and flower crops, suppression in soil-less media, 751
—*P. aphanidermatum*, on sugar beet, epidemiology, 707
—*P. intermedium*, on cucumber, root rot in hydroponics, 358, (359)
—*P. myriotylum*: on *Amaranthus*, resistance evaluation, 985; on peanut, calcium sulfate for, 589; on sugarcane, in Australia, 1077
—*P. salpingophorum*, on fodder beet, in Colorado, 175
—*P. ultimum*: on carrot and tomato roots, fungicide in drip irrigation, 213; on geranium, silver thiosulfate for control, 764

Raabe, R. D., 1077
Raccah, B., 350
Rahe, J. E., 683
Rajapakse, R. H. S., 912
Raju, B. C., 51
Rand, R. E., 385, 771
Randhawa, P. S., 74
Rao, D. V., 688
Rapeseed (see Canola)
Raspberry bushy dwarf virus, on boysenberry, in California, 175
Reckhaus, P., 268
Reckhaus, S., 268
Reddick, B. B., 14
Reddy, A. S., 912
Reddy, D. V. R., 546, 912
Reeleder, R. D., 338
Rees, A. A., 362
Reese, J. A., 175
Regner, K. M., 359
Reilly, C. C., 622
Reimer, N. J., 558
Resendez, R., 497
Resistance
—*Aegilops* and *Agropyron* species to wheat leaf rust, 941
—*Amaranthus* to *Pythium*, 985
—barley to stripe disease, inheritance, 233
—barley, triticale, and wheat to take-all, 883
—bean to root-knot nematodes, technique, 970
—bean to rust, in Tanzania, 259
—celery to disease by plant regeneration from cell cultures, 256
—eggplant to bacterial wilt, 437
—faba bean to chocolate spot, 696
—jack pine to gall rust, screening, 614
—muskmelon to downy mildew, 33
—*Prunus* rootstocks to *Armillaria*, 488
—rice to rice tungro spherical virus, 843
—*Solanum* to Verticillium wilt, 148
—sorghum: to downy mildew, pathotypes, 332; to grain molds, sources, 504
—soybean to peanut stripe virus, 19
—sugarcane to ratoon stunting disease, 443
—tobacco to etch virus, inheritance, 879
—tomato to early blight, 206
—wheat to leaf rust, seedling and adult plant, temperature effect, 439
—wheat to stem rust, slow-rusting and durable, 413
Reuveni, M., 964, 1024
Reviewer acknowledgment, 90, 274
Reyes, A. A., 790
Rhizobacteria (see also Bacteria), on canola, growth promotion, 42
Rhizoctonia spp.: binucleate and *R. solani*, fungicide sensitivity on azalea, 303; on radish and flower crops, damping-off suppression by compost, 751
—*R. solani*: AG-4 and AG-2 type 2, bean root rot from, tillage after corn, 1049; anastomosis groupings in carnation, pathogenicity, 863, (864); on corn, first report in Arkansas, 644; on poinsettia cuttings, crown rot control with fungicides, 693; on potato, AG-3 in Maine, 596; on soybean, aerial blight of seedlings, 644; on soybean, reproductive forms, survey in Louisiana, 644
Ribgrass mosaic virus, on *Hesperis matronalis*, in British Columbia, 101, (103-105)
Rice, narrow brown leaf spot of, races in southern USA, 262
Rice tungro spherical virus, rice resistance to, 843
Rice tungro viruses, purification and serology, 526, (528)
Rice yellow mottle virus, seedling resistance screening, in Sierra Leone, 641
Rich, J. R., 869
Ricinus communis, Phytophthora seedling blight in Hawaii, 994
Riedel, R. M., 363
Rijkenberg, F. H. J., 439, 1061

Riley, K. L., 859
Riley, L. H., 175
Rizzo, D. M., 329
Roberts, D. L., 801
Roberts, J. J., 22
Roberts, P. A., 213, 970
Robertson, L. D., 696
Rodriguez, R., 546
Rodriguez-Cerezo, E., 265
Roelfs, A. P., 22
Rogers, J. D., 359
Rohrbach, K. G., 558
Roistacher, C. N., 543
Ronzon-Tran Manh Sung, C., 938
Rosenberger, D. A., 519
Rosenbrock, S. M., 268, 760
Roses, *Botrytis* on cut flowers, postharvest control with copper fungicide, 347
Rossman, A. Y., 699
Rothman, P. G., 154
Rothrock, C. S., 883
Roy, K. W., 390, 1067
Roy, M. A., 460
Royer, M. H., 133, 209, 284
Rufty, R. C., 879
Rumpf, T., 967
Runion, G. B., 297, 872
Ruppel, E. G., 175
Rush, C. M., 79, 959
Rush, M. C., 262
Rytter, J., 133

Sackston, W. E., 227, 801
Sah, D. N., 262
Sally, B. K., 413
Sammons, D. J., 605
Sanford, W. G., 558
Santo, G. S., 175
Satour, M. M., 143
Savary, S., 1001
Schaad, N. W., 935
Schafer, J. F., 22, 25
Scharpf, R. F., 855
Scher, F. M., 42
Schizothyrium pomi, reservoir hosts of, in North Carolina, 801
Schmidt, R. A., 710
Schmitt, D. P., 107
Schroeteria delastrina, on speedwell, in Arkansas, 175
Schroth, M. N., 241
Schubert, D. C., 189
Schweizer, E. E., 175
Sclerospora graminicola, on pearl millet, recovery resistance, 425
Sclerotium rolfsii, on kiwi, crown and root rot, 1077
Sclerotinia spp.: on forage legume hosts, in southeastern U.S., 593, (595)
—*S. minor*, germination and infection by, factors, 1046
—*S. sclerotiorum*, on celery, suppression by controlled atmosphere storage, 790
Scott, H. A., 362
Sealy, R. L., 985
Secor, G. A., 418, 585
Secrest, L. R., 46
Segal, A., 941
Segars, S. B., 79
Septoria musiva
—on poplar, leaf spot resistance screening, 497
—on *Populus*, somatic resistance, 724
Seybert, L. J., 110
Shabeer, A., 599
Shain, L., 904
Sharma, R. D., 546
Sharp, E. L., 413
Shearer, B. L., 121
Shepard, E. S., 994
Sherwood, J. L., 14, 589, 676
Shimabuku, R., 863
Shoemaker, R. A., 355
Sida spinosa, anthracnose of, 390
Siegel, M. R., 964, 1024
Sifuentes, J., 332
Sikora, E. J., 734
Sim, T., IV, 832
Simons, M. D., 154
Simonson, C., 42
Sinclair, J. B., 56, 64
Singh, S. D., 425
Singleton, C., 42
Sirococcus strobilinus, on spruce seed, detection, monoclonal antibodies and immunoassay, 664
Sivasithamparam, K., 435
Skilling, D. D., 724
Smilanick, J. L., 46
Smiley, R. W., 280
Smith, D. R., 691
Smith, F. D., 796
Snow, J. P., 644
Solanum spp. (see also Potato), Verticillium wilt resistance in, 148
Solarization, soil, furrow irrigation, Egypt, 143
Somerford, P. J., 121
Sorghum
—downy mildew, resistance inheritance to pathotypes, 332
—grain molds of: field screening technique, 500, (503); resistance sources, 504
Soybean
—aerial blight, *Rhizoctonia solani* cause, 644
—anthracnose of: resistant germ plasm evaluation, 56; weed hosts, 390
—charcoal rot and cyst nematode of, crop rotation influence, 760
—cotyledon spot of, in Brazil, 268
—cowpea chlorotic mottle virus of, resistance-breaking variants of, 768
—cyst nematode: first report in Ohio, 363; first report in Ontario, 453; shoot pruning effect, 54
—disease loss estimate: in southern United States, 364, 915
—*Fusarium solani*, on seedlings, pathogenicity, 1067
—*Leptosphaerulina briosiana* on, first report in Missouri, 268
—ozone pollution and antioxidant application, 545
—peanut stripe virus on, resistance, 19, (20)
—*Phomopsis phaseoli* on seedlings, penetration mode, 115, (116, 117)
—Phytophthora root rot of: soil compaction effect, 896; stand reduction and yield effect, 900
—seed quality in 16 cultivars, in Illinois, 64
—stem canker, resistance measurements, 217
—virus survey in Indonesia, 994
Specht, K. L., 1031
Specht, L. P., 959
Sphaeropsis sapinea
—on *Abies concolor*, in Iowa, 79
—on pine, seedborne isolates, 362
Spiegel, S., 583, 744
Spotts, R. A., 702
Spruce
—black, witches'-broom of, rare host in Manitoba, 994
—red, root and butt rot fungi, in New Hampshire, 329
—*Sirococcus strobilinus* in seed of, detection using monoclonal antibodies, 664
Squash, zucchini yellow mosaic virus on, first report in Pacific Northwest, 362
Squash mosaic virus, on *Cucurbita foetidissima*, in Arkansas, 362
Sreenivasulu, P., 546, 644, 722
Stack, R. W., 734, 912
Stanghellini, M. E., 175, 358, 453, 707
Stavely, J. R., 259
Stenocarpella maydis, on corn, stalk resistance in tropical hybrids, 321
Stephanotis floribunda, tomato spotted wilt virus of, in Oregon greenhouse, 912
Stephens, C. T., 195, 246, 334, 764
Stienstra, W. C., 990
Stobbs, L. W., 314, 861
Stone and pome fruits, wood rots of, arthropod carriers, 1077
Strandberg, J. O., 522, 531
Strawberry
—aphid-borne viruses of, insecticide effect, 127
—viruses and mycoplasmalike organisms of, detection, 744, (745, 747)
Struble, D., 967
Sugar beet
—*Aphanomyces cochlioides*, first report in Texas, 79
—cyst nematode of, nematicides and soil temperature and type effect, 617
—damping-off by *Pythium* in Colorado, 175
—Pythium root rot of, epidemiology, 707
Sugarcane
—bacilliform virus of, banana streak virus serological relation, 230, (231)
—*Pythium myriotylum* on, in Australia, 1077
—ratoon stunting disease of, resistant cultivars, 443
Sumner, D. R., 160, 317, 1049
Sunflower
—*Alternaria helianthi* on, first report in Canada, 801
—diseases of, in China, 546
—downy mildew of, inoculation method and host-pathogen relations, 227
—stalk rot occurrence in South Africa, 994
Sutton, T. B., 509, 629, 801
Swanepoel, A. E., 403
Sweet potato feathery mottle virus, on sweet potato, relation to cucumber mosaic virus infection, 583
Sycamore, leaf scorch, outbreak in Carolinas, 644
Syngonium podophyllum, new disease of, bacterial, 74, (74, 75)

Tainter, F. H., 289, 294
Tammen, J. F., 926
Tavantzis, S. M., 596
TeBeest, D. O., 16
Templeton, G. E., 36, 175, 580
Tewari, J. P., 688
Thakur, R. P., 1034
Thanatephorus cucumeris, sporulation, induction technique, 146, (147)
Thapliyal, P. N., 64
Their, A. L., 605
Thomas, C. E., 33
Thomason, I. J., 970
Thomson, S. V., 363, 464
Thouvenel, J.-C., 363
Tidwell, T. E., 546
Tillage (see Conservation tillage)
Tilletia indica
—host range comparison with *T. barclayana*, 133
—teliospores: germination prevention, 46; in soil, estimation method, 209
Tipping, B., 42
Tisserat, N. A., 699
Tissue culture, *Populus* resistance to *Septoria*, somatic variation, 724
Tobacco, potyviruses of, insecticides for aphid suppression, 350

Tobacco etch virus, resistance inheritance, 879
Tobacco mosaic virus
—potato virus Y double infection, on chile, 14, (15)
—on *Rhoeo spathacea*, 513
Tobacco streak virus
—on boysenberry, in California, 175
—on strawberry, laboratory detection, 744
Tomato
—bacteria on transplants, airborne dispersal, 575
—bacterial speck, inoculum sources, 246, 452
—early blight, resistance in breeding line, 206
—nematode, *Pythium*, and *Fusarium* on, metam-sodium application by drip irrigation, 213
—postharvest disease, chlorine effect, 9
—stolbur disease of, in Niger, 268
Tomato bushy stunt virus, on strawberry, laboratory detection, 744
Tomato ringspot virus
—on ash, in New York, identification, 175
—on grapevine, *Xiphinema* association, 861
—on peach, distribution in trees, detection implications, 59, (60)
Tomato spotted wilt virus
—on greenhouse crops in Ontario, 801
—on peanut: comparison with peanut mottle virus, 546; first report in Sri Lanka, 912
—on *Stephanotis* in Oregon, 912
Tomato yellow leaf curl virus, detection in plant and insect lysates, viral DNA Probe use, 949
Tomerlin, J. R., 455
Tomlinson, J. A., 358
Tooley, P. W., 680
Tradescantia/Zebrina virus, on *Commelina*, in Florida, 513
Trechispora alnicola, on bluegrass, control, 137
Trevathan, L. E., 222
Trianthema portulacastrum, *Gibbago trianthemae* bioherbicide for, 354, (354)
Trichoderma hamatum, biocontrol agent, grey mold of bean, 727
Trifolium spp., root-knot nematode on, forage yield effect, 152
Triticale, take-all of, susceptibility, 883
Trudgill, D. L., 281
Trujillo, E. E., 355, 863
Tu, J. C., 5
Tubercularia ulmea, on honeylocust, in North Dakota, 734
Turnip mosaic virus, on *Hesperis matronalis*, in British Columbia, 101, (103-105)

Uchida, J. Y., 994
Unrath, C. R., 509, 629
Uromyces appendiculatus, on bean, variability and host resistance, 259
Urocystis kmetiana, on violet, in Georgia, 1077
Ustilago coicis, on jobs-tears, first USA report, 363

van der Kamp, B. J., 787
van der Walt, L., 994
van der Zwet, T., 464, 715
Van Schagen, J. G., 314, 861
Vegetables
—root diseases, fungicides in sprinkler irrigation for disease control, 160
—seedling diseases of, conservation tillage effect, 317
Veronica arvensis, smut incidence in Arkansas, 175
Verticillium spp.
—*V. albo-atrum*, on alfalfa: in California, first report on *Vinca*, 1077; growth and flowering effect, 397; in southern California, 453
—*V. dahliae*: in potato field soil, propagule spatial patterns in Oregon, 484; on *Solanum* spp., resistance, 148
Vicia faba, chocolate spot of, resistance sources, 696
Vigna radiata, virus survey in Indonesia, 994
Vimard, B., 227
Vinca major, Verticillium wilt, in California, first report, 1077
Vincelli, P. C., 632
Vineis, P. D., 774
Viola bicolor, floral smut, in Georgia, 1077
Viruses
—Commelinaceae, wild and cultivated species, 513, (516, 517)
—forage legumes, seven species, six viruses, 539
Vivar, H. E., 546
von Bretzel, P., 707
Von Chung, K., 667

Wachtel, M. F., 363
Waindle, M. L., 672
Walker, J. T., 730
Walla, J. A., 734
Wang, C.-G., 614
Wang, H.-L., 375
Wang, L., 546
Ward, K. T., 497
Warwick, D., 19
Watermelon, Fusarium wilt, race 2 in Oklahoma, 734
Watson, A. K., 338, 534
Webster, R. K., 406, 909
Wei, S. E., 546
Weidemann, G. J., 36, 362, 757
Welacky, T. W., 453
Wernsman, E. A., 879
Wester, H. V., 551
Wheat
—barley yellow dwarf virus on, status in Washington, 110
—black chaff of, control by seed treatment and foundation seed program, 935
—black point, irrigation in Washington, 1031
—Cephalosporium stripe of: benzimidazole for, soil application, 1054; soil factors, 1011
—leaf rust of: races and virulences, 25; resistance and temperature relation, 439; survival, winter and spring in Kansas, 1074; virulence in USA in 1986, 22
—leaf rust epidemic, in Texas, characteristics, 239
—leaf rust resistance, virulence to gene *Lr*26 in South Africa, 175
—new disease, etiology unknown, in North Dakota, 362
—powdery mildew: chloride fertilizers for, 605; epidemics and planting date, 661
—powdery mildew epidemics, seed and foliar treatment with triadimenol, 887
—*Pratylenchus thornei* on, in Washington, 175
—root and foot rot, fungi associated with, in Texas, 959
—slow-rusting resistance in, evaluation, 413
—take-all: nitrogen and chloride effect, under irrigation, 393; susceptibility, 883
—tan spot: resistance to differing isolates, pseudoperithecia, 1028, (1030); yield components and growth stage, 599
Wheat streak mosaic virus, wheat cultivar tolerance to, variation, 705
White, J. G., 358
Whiteside, J. O., 626
Wick, R. L., 268
Wicklow, D. T., 113
Wieczorek, A., 874
Wiese, K., 46
Wiglesworth, M. D., 964
Wilcoxson, R. D., 233, 439
Wild rice (see *Zizania palustris*)
Wilkinson, H. T., 137
Williams, P. H., 777
Williams, W. P., 67
Willis, W. G., 832
Wilson, C. L., 622
Win, H. H., 1049
Windels, C. E., 990
Windham, G. L., 67, 152
Witcher, W., 644
Wofford, D. S., 1064
Worf, G. L., 926
Wright, J. C., 256
Wyatt, S. D., 70, 110, 301
Wyllie, T. D., 268, 760
Wymore, L. A., 534

Xanthomonas campestris
—on bean, dry-leaf inoculation method, 385
—on citrus, bactericidal chemicals for, 1016
—colony characteristics, differentiation, 416
—on crucifers, in Washington seed field, 453
—group E strains, dynamics and spatial distribution in field plots, 781
—on pepper and tomato, transplant problems, 575
—on plum, mechanical transmission, 643
—on *Syngonium*, new disease, 74, (74, 75)
—on wheat seed, control with treatment and foundation seed program, 935
Xiphinema spp., on grapevine, tomato ringspot virus association, 861
—*X. americanum*, on apple and plum, nematicides for, 519
Xylaria polymorpha, tree root rot from, 79
Xyleborinus saxeseni, on peach, symbiotic fungus of, 225
Xylella fastidiosa
—in citrus, blight symptoms produced by, 432
—hosts for, in Florida, 429
—on northern red oak, leaf scorch from, etiology, 730, (731)

Yaegashi, H., 608
Yang, S. M., 546
Yang, X. B., 644
Yeh, S.-D., 375
Yoshikawa, N., 744
Young, B. W., 403
Young, D. J., 481

Zadoks, J. C., 1001
Zaleska, I., 42
Zamir, D., 949
Zamora, M. R., 546
Zehr, E. I., 622
Zettler, F. W., 513
Zhang, T. M., 539
Zinnen, T. M., 96
Zizania palustris, crown and root rot, in California, 909
Zoller, B. G., 464
Zucchini yellow mosaic virus, on squash, first report in Pacific Northwest, 362
Zummo, N., 157